## Low Desert Planting and Harvesting Calendar

## Planet Harmony LLC planetharmony@gmail.com Office: 602-305-9877

Ask us about our gardening and design consulting services. We can help you create your dream landscape, with organic vegetable gardens, medicinal plants, fruit trees, composting bins, revitalized water features, graywater systems, rainwater catchment, supercharged soils, and permaculture principles.

## KEY:

|   | = Main Harvest Time               |
|---|-----------------------------------|
|   | = Potential Extended Harvest      |
| X | = Ideal Seed Planting Time        |
| X | = Good Seed Planting Time         |
| * | = Can Be Planted, with Protection |
| t | = Set Out Transplants             |
| i | = Plant Seed Indoors/Greenhouse   |

| Crop            | Hardiness<br>temp. °F | J<br>A<br>N | ZVC     | F<br>E<br>B | FEB                                   | M<br>A<br>R | MAR              | A<br>P<br>R | A P R    | M<br>A<br>Y | MAY             | NON  | JUN          | J     | J  | A<br>U<br>G  | A U G  | SEP | SEP  | 0<br>C<br>T | 0<br>C<br>T | NOV | NOV | D<br>E<br>C | DEC | Comments   |
|-----------------|-----------------------|-------------|---------|-------------|---------------------------------------|-------------|------------------|-------------|----------|-------------|-----------------|------|--------------|-------|----|--|--------|-----|------|-------------|-------------|-----|-----|-------------|-----|--|
|                 | 10000                 | 1           | 15      | 1           | 15                                    | 1           | 15               | 1           | 15       | 1           | 15              | 1    | 15           | 1     | 15 | 1  | 15     | 1   | 15   | 1           | 15          | 1   | 15  | 1           | 15  |  |
| ArtichokeGlobe  | 20                    | * t         | * t     | t           | t                                     |             |                  |             |          | 100         | Married Charles | -    |              |       |    |  |        | X   | X    | X           | X           | x   | * t | * t         | * t | Unpicked heads become huge flowers.                          |
| Jerusalem       | <0                    |             |         |             |                                       | X           | X                | X           |          | Z           |                 |      |              |       |    |  |        |     |      |             |             |     |     |             |     | Can be invasive.   |
| Arugula         | 15                    |             |         |             |                                       |             |                  |             |          |             |                 |      |              |       |    |  | *      | *   | X    | X           | X           |     |     |             |     | May be planted thickly.                                      |
| Asian Greens    | 25                    |             | 1       |             |                                       |             |                  |             |          |             |                 |      |              |       |    |  | *      | x   | X    | X           | X           | X   |     |             |     | Bolt quickly in Spring. Flowers are tasty.                   |
| Asparagus       | <0                    |             |         |             |                                       | X           | X                | X           | X        | *           |                 |      |              |       |    | -  |        |     | t    | t           | t           | +   | 7   |             | -   | Don't harvest until 3 <sup>rd</sup> year.                    |
| Basil           | 32                    | i           | i       | i           | I                                     | xt          | xt               |             |          |             |                 |      | 144          | 4     | 3  | 2.   |        | 7   |      |             |             |     |     | I           | i   | Loves heat. Not drought-tolerant.                            |
| BeanBlackeye    | 32                    |             |         |             |                                       | ×           | X                | X           | X        | X           | X               |      | -            |       | -  |  |        |     | and! |             |             |     |     | i i         | -   | Performs well in full summer heat.                           |
| Fava            | 20                    |             |         |             | 7                                     | F.A.        | 12               |             |          | 1           |                 |      |              |       |    |  |        |     | *    | Y           | Y           | Y   | ×   |             | -   | Dislikes heat.   |
| Garbanzo        | 25                    | *           | No.     | 6 342       | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 3         | Name and Address |             | 1000     |             |                 |      |              |       |    |  |        |     | *    | Y           | X           | Y   | ~   | *           | *   | Stays low to ground.   |
| Green snap      | 32                    |             |         |             | *                                     | X           | X                | *           |          |             | 100             |      | -            |       |    | x  | X      | *   |      | ^           |             |     | A   |             |     | Seed will rot if planted in cold soil.                       |
| Lentil          | 25                    | *           | Marie S | 1           | N.                                    |             |                  |             |          |             |                 |      |              |       |    | ^  | ^      |     | *    | V           | X           | W   | v   | *           | *   |  |
| Lima            | 32                    |             |         | -           | *                                     | Y           | Y                | v           | *        | 1           |                 |      |              |       |    |  | ×      |     |      |             | ^           | X   | X   | -           |     | Harvest entire plant and thresh when dry. Best on a trellis. |
| Pinto           | 32                    |             | 1       |             | *                                     | Ŷ           | Ŷ                | *           | *        | <u> </u>    | <u> </u>        | -    |              |       |    | Y  | *      |     |      |             |             |     |     | -           |     |  |
| Soy             | 32                    | 1           |         |             | *                                     | Ŷ           | Ŷ                | *           | *        |             |                 | 9.54 |              |       | Y  | X  | *      |     |      | dia dia in  |             |     |     |             |     | Harvest entire plant and thresh when dry.                    |
| Yardlong        | 32                    |             |         |             |                                       | -           | -                | X           | V        | V           | X               |      |              |       | A  | X  |        |     |      |             |             |     |     |             |     | Use special varieties for edamame.                           |
| Beet            | 26                    |             |         | - 1         |                                       |             | A                |             |          | ^           | ^               |      | and the same | -     | -  |  | *      | -   | V    | V           | V           |     |     |             |     | Black-seeded types are best. Use trellis.                    |
| Broccolihead    | 25                    | 1           |         |             |                                       |             |                  | F/E/S       | -        |             | 6486.78         | 40.0 | -            |       |    |  |        | X   | ÷    | X           | X           | X   | X   | 10          |     | Be sure to thin if you want big beets.                       |
| -Raab           | 25                    |             |         |             | James                                 |             |                  | 6.796       | -        |             |                 |      |              |       |    |  | X<br>* | X   | ÷.   | Xt          | Xt          | *t  | T.  |             |     | Light frost improves flavor.                                 |
| Brussels Sprout | 22                    | <u> </u>    |         |             |                                       |             |                  |             | -        | -           |                 | -    | -            |       |    | *  |        | X   | X    | X           | X           | X   | 2   |             |     | Pick frequently to maintain production.                      |
| CabbageChinese  | 24                    | 7000        |         |             |                                       |             |                  | -           | -        |             |                 |      |              |       |    | -  | X      | X   | X    | "t          | t           | t   |     |             |     | Only early hybrids do well. 'Oliver' is best.                |
| -standard       | 26                    |             |         |             |                                       | SV2.V       |                  | STATE       | 100      |             | ALS: 10         | -    |              |       |    |  |        | X   | X    | X           | Xt          | xt  | xt  |             |     | Heads form quickly. Be sure to thin.                         |
| Carrot          | 25                    | -           |         |             |                                       |             |                  |             |          |             |                 |      |              |       |    |  | *      | X   | X    | X           | Xt          | xt  | xt  | *t          | t   | Red varieties take a little longer to head.                  |
| Cauliflower     | 27                    |             |         |             |                                       |             | the same         |             | -        |             |                 |      |              |       |    |  | *      | X   | X    | X           | X           | X   | X   | 1           |     | Slow to sprout—add a few radish seeds.                       |
| Celery          | The same passing      |             | -       | (18 A)      |                                       | 7 1-1-2 M   | N. S. C.         | La Company  | Last and | F-100-100   |                 |      |              |       |    | , i  | *      | X   | X    | xt          | xt          | *t  | *t  |             |     | Fold leaves over exposed heads.                              |
| Cilantro        | 28                    |             |         | 1000        | -                                     | 1           |                  | I SOME      |          |             |                 |      |              |       |    | *  | X      | X   | X    | *t          | t           | t   |     |             |     | Loves water and high humidity.                               |
|                 | 28                    | See affects |         |             | 1-                                    |             |                  |             | <u> </u> |             |                 |      |              |       |    |  |        | *   | X    | X           | X           | X   | X   |             |     | Flowers attract beneficial insects.                          |
| Collards        | 25                    | 1           | · ini   |             | 5 : 64                                |             | \$11g            |             |          |             |                 |      |              |       |    |  |        | *   | X    | X           | X           | X   | X   |             |     | Light frost improves flavor.                                 |
| Cornflour       | 32                    | _           | -       |             | *                                     | X           | X                | X           | *        |             |                 |      | *            | T. W. |    | The state of the s | 27     |     |      |             |             |     |     |             |     | Allow to totally dry on stalk.                               |
| sweet           | 32                    |             |         |             | *                                     | X           | X                | X           | *        |             |                 | 100  | 4200         |       | X  | X  | X      | *   |      |             | 1           |     | 改計  |             |     | Supersweet varieties require warm soil.                      |

Hardiness Note: Hardiness temperature, in degrees Fahrenheit, is the point at which damage occurs in exposed plants. Extent of damage depends on length of exposure, as well as micro-environmental factors. Covering plants with frost cloth can give anywhere from 2 to 10 degrees of extra protection. Coverings are most effective when suspended close to, but not in contact with, the plant.

| Crop           | Hardiness<br>temp. °F  | JAN  | JAN                                   | FEB        | FEB   | M<br>A<br>R | M<br>A<br>R | A<br>P<br>R | APR           | M<br>A<br>Y | M<br>A<br>Y  | ZCC      | ZUZ      | JUL               | JUL      | A<br>U<br>G | AUG    | S<br>E<br>P  | SEP    | 0<br>C<br>T | OCT       | N O V | KOX      | D<br>E<br>C | DEC      | Comments                                  |
|----------------|--|--|---------------------------------------|------------|-------|-------------|-------------|-------------|---------------|-------------|--------------|----------|----------|-------------------|----------|-------------|--------|--------------|--------|-------------|-----------|-------|----------|-------------|----------|---|
|                | <b>1</b> 2   | 1  | 15                                    | 1          | 15    | 1           | 15          | 1           | 15            | 1           | 15           | 1        | 15       | 1                 | 15       | 1           | 15     | 1            | 15     | 1           | 15        | 1     | 15       | 1           | 15       |   |
| Cucumber       | 32   |  |                                       |            | *     | X           | X           | X           | X             | X           | X            |          |          |                   |          | 5           | 400    | · NE         | Page 1 |             | 6         |       |          |             |          | More heat-tolerant than standard types.   |
| standard       | 32   |  |                                       | i          | *     | X           | X           | X           |               | 100         |              | 17.75    | 337      |                   | *        | X           | X      |              |        | and t       | THE RES   | T. P. | e proper |             |          | Harvest frequently for best quality.      |
| Dill           | 27   | 100  |                                       |            |       |             |             | 7 242       |               |             |              |          |          |                   |          |             |        |              | *      | x           | X         | X     | 14       | 10          | 6        | Very easy from seed. Poor transplanter.   |
| Eggplant       | 32   | i  | i                                     | i          | i     | xt          | xt          | xt          | X             | X           | X            | 1 3 5 m  | W W      | -924              |          | 200 AV      |        | ST. TEX      | 4 212  | 30 1        |           |       |          | T           | i        | Best production in Fall.                  |
| Endive         | 25   |  |                                       |            |       |             | 48          |             |               |             |              |          |          |                   |          | *           | *      | X            | X      | X           | X         | X     | *        |             |          | Pull leaves over center to blanch.        |
| Fennel-bulbing | 27   |  |                                       |            |       |             |             | 1           |               | 12          |              |          |          |                   |          |             | *      | *            | x      | X           | X         | X     |          |             |          | Can be harvested at any size.             |
| herb           | 25   |  |                                       |            |       |             |             |             |               |             |              |          |          |                   |          |             |        | *            | X      | X           | X         | Y     | X        | 基要          |          | Flowers attract beneficial insects.       |
| Garlic         | 10   |  |                                       |            |       |             |             |             |               | 1           | 0.00         |          |          |                   |          |             |        | *            | x      | X           | X         | X     | Y        | *           | *        | Dig bulbs when tops die back.             |
| Jicama         | 32   |  |                                       |            | *     | x           | X           | X           | ×             | ×           | X            | X        | X        | x                 | *        |             | 第一章    | GAR P        | 52     |             | -         |       |          |             |          | Does well with trellis.                   |
| Kale           | 22   |  | 1                                     |            | 40.00 |             |             |             |               |             |              | -        |          | -                 | 5,45     | 1000        | *      | Y            | X      | X           | X         | Y     | .7       | 3           | 9        | Pick outer leaves for continuous harvest. |
| Leek           | 15   | Y  | X                                     |            |       |             |             | 100         |               |             |              |          |          | 33                |          |             |        | *            | Ŷ      | Ŷ           | Y         | v     | v        | Y           | Y        | Pile dirt around stalks to blanch.        |
| Lettucehead    | 28   | Y  | X                                     | Y          |       |             |             |             |               |             |              |          |          |                   |          |             |        |              | *      | v           | Ŷ         | Ŷ     | ~        | -           | 0        | Allow 8-12" per plant for large heads.    |
| leaf           | 28   |  |                                       | A          | ,     |             |             |             |               |             |              |          |          |                   |          |             |        |              | *      | Ŷ           | Ŷ         | Ŷ     | _^       |             |          | Won't sprout in hot soil.                 |
| Melons         | 32   |  | 1                                     |            | *     | X           | X           | X           | Y             | x           |              |          | 100      | 4.24              |          | 177         | 75     |              |        | A           |           | ^     |          | 1           | 1        | Rich soil, lots of H2O, lots of room.     |
| Mustard greens | 27   |  | 1                                     |            |       |             | 1888        | 1           | 1             | ^           | A CONTRACTOR |          |          |                   |          | Stanistic   | 450    | *            | V      | Y           | Y         | Y     |          | 100         | 84 M W   | Light frost improves flavor.              |
| Okra           | 32   |  | 12.4                                  |            |       | Y           | X           | X           | Y             | v           | v            |          |          | 37.               | 505      | 15 m        |        | 7-85         |        |             |           |       | ^        | 224         | and the  | Pick frequently to maintain production.   |
| Onion-bulb     | 15   | t  | +                                     |            | †     | 1           | 1           | 1           |               |             | SAX          |          |          | Acres 1           |          |             | 100    | *            | W Park | Y           | Y         | V     | v4       | *4          | 4        | Use short-day types. Dig when tops die.   |
| -multiplier    | 15   | Sep. 18  |                                       | -4-6       | 014   |             | Acres       |             | \$2134.<br>94 |             | Section 6    | 4 2000   |          |                   |          |             |        | ŕ            | •      | 4           |           |       | A        | 100         | 3485     | Divide buibs frequently.                  |
| scallion       | 15   |  | to strain sales                       | S. Carrier |       |             |             |             |               |             | 210          |          |          |                   |          |             |        | •            | *      | V           | CAL PRO   | -     | NA PR    |             |          | Use long-day types.                       |
| Parsley        | 20   | -  |                                       |            |       |             |             |             |               |             |              |          |          |                   |          | 7           |        |              | *      | <b>÷</b>    | ÷         | 0     | ~        | A           | 200 Sept | Slow to germinate. Otherwise easy.        |
| Parsnip        | 25   | *  | 120                                   |            |       |             |             |             | 100           | 100000      |              |          |          |                   |          |             |        |              | *      | <b>\$</b>   | <b>\$</b> | -     | A        | X           | 1        | Dig root before flower stalks form.       |
| Peas           | 26   | Y  |                                       |            |       |             |             | C. C.       |               |             |              |          |          |                   |          |             |        | *            | v      | <b>÷</b>    | <b>?</b>  | ×     | -        | -           | X        | Best on trellis. Blooms are frost tender. |
| Pepper         | 32   | 1  | i                                     | i          |       |             | 4           |             | ×             | x           | X            |          | 1.54     | -                 |          |             | 200    |              | ^      |             | A         | Λ     |          | X           | X        | Start indoors in Winter. Use 50% shade.   |
| Potato         | 32   | *  | +                                     | +          | +     | *           | -           | -           | ^             | ^           | A            |          |          |                   |          |             | *      | *            |        | 2.2         | 922       |       |          |             |          | Harvest after full bloom.                 |
| Pumpkin        | 32   | 1  | +                                     | -          | *     | X           | X           | X           | x             | x           | v            | v        | X        | 8 4               |          | F-12-4      | 2000   | B-7-5        | F 1075 | er e Meio   | 54        |       |          |             | -        |   |
| Radish         | 25   |  | 4:5                                   |            |       |             | ^           | ^           | <b>X</b>      | X           | X            | X        | X        | -                 |          | A Speeding  |        |              | *      |             | V         | V     | -        | E 20 21     | -        | Plant in late June for Halloween.         |
| Rutabaga       | 26   |  | 7                                     |            |       |             |             |             | J. C.         |             |              |          |          |                   |          |             |        | *            | -      | X           | ÷         | ٨     |          | *           |          | Best when day-length is short.            |
| Spinach        | 22   |  | 4                                     |            |       |             |             |             |               | Services    |              |          |          |                   | $\vdash$ |             |        |              | X *    | ^           | ÷         | X     | X        | 10 T 25     | 100      | Harvest before flower stalks form.        |
| Squash-summer  | 32   |  | 3                                     | -          | *     | V           | V           | V           | v             |             | 3 23         | -        | -10 M    | STEP STATE        | 2526     | 2 743       | the de | Min          |        | X           | A         | A     | A        | 1           | 324      | Bolts quickly in Spring.                  |
| winter         | 32   |  | +                                     | +-         | *     | 10          | 0           | ÷           | ^             | X           | 1            | Y        |          |                   | 是 强      |             |        |              |        |             |           |       |          | -           |          | Pick frequently to maintain production    |
| Sunflower      | 30   | -  | +                                     | -          | +     | +           | ÷           | ^           | X             | X           | X            | X        |          |                   | A. C.    | 4 7 de      |        |              |        |             |           |       | -        | -           | 95.0     | The longer left on the vine, the sweeter. |
| Sweet potato   | P2121212   | -  | +                                     | +          | X     | X           | A           | X           | X             | X           | 100          |          | 200      |                   | The Car  | 1 64        | P. Car | 2 1 160      |        |             | 3         | TO V  | 20 00    |             | 11/08    | Paper bag over head keeps birds off.      |
| Swiss chard    | 32<br>26   | + INTO   | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |            |       |             | I           | t           |               | I           | L            | Ţ        | I        | t                 | t        |             |        |              |        | -           |           |       |          | -           |          | Cure in warm place before storage.        |
| Tomatillo      | A STATE OF THE PARTY OF THE PAR | :  |                                       | :          | 4     |             |             |             |               | 15.0        | 67210        | · ·      |          |                   | -        | N. TOWN     | *      | *            | X      | X           | X         | X     | X        |             | 3        | Pick outer leaves for continuous harvest. |
|                | 32   | <del>                                     </del> | <u> </u>                              | 1          | t     | xt          |             | xt          | X             | X           |              |          |          | estimati          | 新生物      | T ST        | -      | and the last |        | Ping in     | الميان    |       |          |             |          | Easy.                                     |
| Tomato         | 32   |  |                                       |            | t     | t           |             | t           |               |             | day's        | - Park   | 200      | 造型                | X        |             | t      | t            | t      |             |           |       |          | Table 10    |          | Start indoors in Winter. Use 50% shade.   |
| Turnip         | 25   |  |                                       |            |       | - LANE      | " more      | सर्वाक्ष    |               |             |              | Ng June  | BIE LOUS | NAME OF THE OWNER |          | *           | *      | *            | X      | X           | X         | X     | E.C      | War.        | Tank.    | Best flavor in cool weather.              |
| Watermelon     | 32   |  |                                       | <u></u>    | *     | X           | X           | X           | X             | X           | X            | The said |          | 4                 | 5        |             | Não.   |              |        |             |           |       |          |             |          | Rich soil, lots of H2O, lots of room.     |

Microclimate Note: The exact growing season depends greatly on your particular microclimate. Areas in your yard have different climates depending on proximity to buildings, walls, pools, trees, etc. Likewise, each neighborhood has a different microclimate based on the lay of the land and general amount of pavement and structures. Many frost-tender plants can be grown through the winter in milder microclimates, though with slower growth rates. With appropriate shading, many heat-sensitive crops can be grown into the summer in outlying areas with cooler nights, though quality and vigor will be reduced. Experiment!